

RACK CABINET

FREE STANDING DATA CENTER CABINET

It is designed to enable all active and passive devices to be protected thanks to its aesthetic appearance, high quality design and manufacturing which will be used in server applications.

Free Standing Rack Cabinet



PRACTICAL AND ERGONOMIC

Design, all brands and models are manufactured with active and passive ventilation and traceability in every detail accessories that you can install active and passive devices.

The digital temperature sensor measures the temperature of the heat and Fan 1 and 2 enter the circuit at the specified temperature intervals. At extremely high temperatures the Buzzer Alarm is switched on and the warning buzzer sounds.

- Temperature Sensor**
- Digital Indicator**
- Dual System Cooling Fan With 2 And 4**
- Temperature Analysis**
- Remote Access**

GTRK-16U GTRK-32U
GTRK-20U GTRK-36U
GTRK-22U GTRK-42U
GTRK-26U GTRK-44U

Free Standing Rack Cabinet

From 16U to 44U, 8 different depths are offered. The cabinets are supplied as standard with glass front door, mechanical interlock, locked metal side panels and a locked metal rear door. All panels and doors are lockable.

Everything you need for your infrastructure meets the need for height. In addition to its technical appearance, it also has an aesthetic appearance with decorative extrusion aluminum front door frame. Completely standard and stocked product portfolio is shipped pre-assembled and disassembled.

The height adjustment foot is not included in the dispatch configuration. It is offered with the quality to meet all usage demands and various accessory options and most suitable for height usage area.


TECNICAL DETAILS

- All steel construction - Ergonomic design - Carrying frame is steel construction with 1.5mm thickness
- Openable and lockable side and back covers
- Adjustable rack mounting brackets at the desired level
- 151500 kg carrying capacity - Easy assembling
- An optional fan unit can be installed in the ceiling - Lower and upper cable entries for heavy cabling needs
- Standart colors RAL 9005, 7035


Wide W: 600mm

Depth. D: 600 – 800 – 1000 – 1100 – 1200mm

Carrying capacity: 1500kg.




Free Standing Rack Cabinet



Wide W: 600 mm.
Dept D: 600 mm.
Carrying Capacity: 500 kg.



Free Standing Rack Cabinet



19 " Stylish type modular rack cabinet

- All steel construction - Ergonomic design
- Carrying frame is steel construction
- Openable and lockable side and back covers
- Adjustable rack mounting brackets at the desired level
- 800 kg carrying capacity
- Easy assembling
- An optional fan unit can be installed in the ceiling
- The front door is supported by 4 mm tempered glass and sheet frame
- Lower and upper cable entries
- Standart colors ral 9005, 7035 and 7032
- Dismounted at freight costs: 50% savings, convenient price

Free Standing Rack Cabinet

Product Code	Description	Dimension wxdxh Mm	h Dimension U	h mm	H mm Outside Outside T Wheel and Footless Measure Wheels 90 mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight G.	Gros Product Weight G.
600x600 Free Standing Rack Cabinet									
GFSRK-16U6060	16U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x885	16U	740	885	1	620x620x905	32.000	32.000
GFSRK-20U6060	20U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x1066	20U	915	1066	1	620x620x1086	40.000	40.000
GFSRK-22U6060	22U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x1155	22U	1004	1155	1	620x620x1175	44.000	44.000
GFSRK-26U6060	26U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x1333	26U	1182	1333	1	620x620x1353	52.000	52.000
GFSRK-32U6060	32U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x1600	32U	1450	1600	1	620x620x1620	64.000	64.000
GFSRK-36U6060	36U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x1780	36U	1625	1780	1	620x620x1800	72.000	72.000
GFSRK-42U6060	42U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x2045	42U	1895	2045	1	620x620x2065	84.000	84.000
GFSRK-44U6060	44U 19" Free Standing Cabinet W: 600mm D: 600 mm	600x600x2130	44U	1985	2130	1	620x620x2150	88.000	88.000
600x800 Free Standing Rack Cabinet									
GFSRK-16U6080	16U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x885	16U	740	885	1	620x820x905	40.000	40.000
GFSRK-20U6080	20U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x1066	20U	915	1066	1	620x820x1086	50.000	50.000
GFSRK-22U6080	22U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x1155	22U	1004	1155	1	620x820x1175	55.000	55.000
GFSRK-26U6080	26U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x1333	26U	1182	1333	1	620x820x1353	65.000	65.000
GFSRK-32U6080	32U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x1600	32U	1450	1600	1	620x820x1620	80.000	80.000
GFSRK-36U6080	36U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x1780	36U	1625	1780	1	620x820x1800	90.000	90.000
GFSRK-42U6080	42U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x2045	42U	1895	2045	1	620x820x2065	105.000	105.000
GFSRK-44U6080	44U 19" Free Standing Cabinet W: 600mm D: 800 mm	600x800x2130	44U	1985	2130	1	620x820x2150	110.000	110.000
600x1000 Free Standing Rack Cabinet									
GFSRK-16U60100	16U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x885	16U	740	885	1	620x1020x905	48.000	48.000
GFSRK-20U60100	20U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x1066	20U	915	1066	1	620x1020x1086	60.000	60.000
GFSRK-22U60100	22U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x1155	22U	1004	1155	1	620x1020x1175	66.000	66.000
GFSRK-26U60100	26U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x1333	26U	1182	1333	1	620x1020x1353	78.000	78.000
GFSRK-32U60100	32U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x1600	32U	1450	1600	1	620x1020x1620	96.000	96.000
GFSRK-36U60100	36U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x1780	36U	1625	1780	1	620x1020x1800	108.000	108.000
GFSRK-42U60100	42U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x2045	42U	1895	2045	1	620x1020x2065	126.000	126.000
GFSRK-44U60100	44U 19" Free Standing Cabinet W: 600mm D: 1000 mm	600x1000x2130	44U	1985	2130	1	620x1020x2150	132.000	132.000

Server Type Cabinet

Product Code	Description	Dimension wxdxh Mm	h Dimension U	H mm Outside TWheel and Footless Measure Wheels 90 mm	Amount In Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gros Product Weight G.
600x800 Data Center Cabinet									
GSTRK-26U6080	26U 19" Server Type Cabinet W: 600mm D: 800 mm	600x800x1478	26U	1478	1	630x830x1508	830x430x1508	48.000	56.000
GSTRK-32U6080	32U 19" Server Type Cabinet W: 600mm D: 800 mm	600x800x1745	32U	1745	1	630x830x1775	830x430x1775	59.000	67.000
GSTRK-36U6080	36U 19" Server Type Cabinet W: 600mm D: 800 mm	600x800x1923	36U	1923	1	630x830x1953	830x430x1953	66.000	74.000
GSTRK-42U6080	42U 19" Server Type Cabinet W: 600mm D: 800 mm	600x800x2190	42U	2190	1	630x830x2220	830x430x2220	77.000	85.000
GSTRK-48U6080	48U 19" Server Type Cabinet W: 600mm D: 800 mm	600x800x2457	48U	2457	1	630x830x2487	830x430x2487	88.000	96.000
GSTRK-52U6080	52U 19" Server Type Cabinet W: 600mm D: 800 mm	600x800x2635	52U	2635	1	630x830x2665	830x430x2665	96.000	104.000
600x1000 Data Center Cabinet									
GSTRK-26U60100	26U 19" Server Type Cabinet W: 600mm D: 1000 mm	600x1000x1478	26U	1478	1	630x1030x1508	1030x430x1508	58.000	64.000
GSTRK-32U60100	32U 19" Server Type Cabinet W: 600mm D: 1000 mm	600x1000x1745	32U	1745	1	630x1030x1775	1030x430x1775	71.000	78.000
GSTRK-36U60100	36U 19" Server Type Cabinet W: 600mm D: 1000 mm	600x1000x1923	36U	1923	1	630x1030x1953	1030x430x1953	80.000	88.000
GSTRK-42U60100	42U 19" Server Type Cabinet W: 600mm D: 1000 mm	600x1000x2190	42U	2190	1	630x1030x2220	1030x430x2220	93.000	101.000
GSTRK-48U60100	48U 19" Server Type Cabinet W: 600mm D: 1000 mm	600x1000x2457	48U	2457	1	630x1030x2487	1030x430x2487	106.000	114.000
GSTRK-52U60100	52U 19" Server Type Cabinet W: 600mm D: 1000 mm	600x1000x2635	52U	2635	1	630x1030x2665	1030x430x2665	115.000	123.000
600x1100 Data Center Cabinet									
GSTRK-26U60110	26U 19" Server Type Cabinet W: 600mm D: 1100 mm	600x1100x1478	26U	1478	1	630x1130x1508	1130x430x1508	64.000	72.000
GSTRK-32U60110	32U 19" Server Type Cabinet W: 600mm D: 1100 mm	600x1100x1745	32U	1745	1	630x1130x1775	1130x430x1775	79.000	87.000
GSTRK-36U60110	36U 19" Server Type Cabinet W: 600mm D: 1100 mm	600x1100x1923	36U	1923	1	630x1130x1953	1130x430x1953	89.000	96.000
GSTRK-42U60110	42U 19" Server Type Cabinet W: 600mm D: 1100 mm	600x1100x2190	42U	2190	1	630x1130x2220	1130x430x2220	103.000	111.000
GSTRK-48U60110	48U 19" Server Type Cabinet W: 600mm D: 1100 mm	600x1100x2457	48U	2457	1	630x1130x2487	1130x430x2487	117.000	125.000
GSTRK-52U60110	52U 19" Server Type Cabinet W: 600mm D: 1100 mm	600x1100x2635	52U	2635	1	630x1130x2665	1130x430x2665	127.000	135.000
600x1200 Data Center Cabinet									
GSTRK-26U60120	26U 19" Server Type Cabinet W: 600mm D: 1200 mm	600x1200x1478	26U	1478	1	630x1230x1508	1230x430x1508	71.000	79.000
GSTRK-32U60120	32U 19" Server Type Cabinet W: 600mm D: 1200 mm	600x1200x1745	32U	1745	1	630x1230x1775	1230x430x1775	87.000	95.000
GSTRK-36U60120	36U 19" Server Type Cabinet W: 600mm D: 1200 mm	600x1200x1923	36U	1923	1	630x1230x1953	1230x430x1953	97.000	105.000
GSTRK-42U60120	42U 19" Server Type Cabinet W: 600mm D: 1200 mm	600x1200x2190	42U	2190	1	630x1230x2220	1230x430x2220	114.000	122.000
GSTRK-48U60120	48U 19" Server Type Cabinet W: 600mm D: 1200 mm	600x1200x2457	48U	2457	1	630x1230x2487	1230x430x2487	129.000	137.000
GSTRK-52U60120	52U 19" Server Type Cabinet W: 600mm D: 1200 mm	600x1200x2635	52U	2635	1	630x1230x2665	1230x430x2665	140.000	148.000

Server Type Cabinet

Product Code	Description	Dimension wxdxh Mm	h Dimension U	H mm Outside TWheel and Footless Measure Wheels 90 mm	Amount In Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gros Product Weight G.
800x800 Data Center Cabinet									
GSTRK-26U8080	26U 19" Server Type Cabinet W: 800mm D: 800 mm	800x800x1478	26U	1478	1	830x830x1508	830x430x1508	60.000	68.000
GSTRK-32U8080	32U 19" Server Type Cabinet W: 800mm D: 800 mm	800x800x1745	32U	1745	1	830x830x1775	830x430x1775	73.000	81.000
GSTRK-36U8080	36U 19" Server Type Cabinet W: 800mm D: 800 mm	800x800x1923	36U	1923	1	830x830x1953	830x430x1953	83.000	91.000
GSTRK-42U8080	42U 19" Server Type Cabinet W: 800mm D: 800 mm	800x800x2190	42U	2190	1	830x830x2220	830x430x2220	96.000	104.000
GSTRK-48U8080	48U 19" Server Type Cabinet W: 800mm D: 800 mm	800x800x2457	48U	2457	1	830x830x2487	830x430x2487	110.000	118.000
GSTRK-52U8080	52U 19" Server Type Cabinet W: 800mm D: 800 mm	800x800x2635	52U	2635	1	830x830x2665	830x430x2665	119.000	127.000
800x1000 Data Center Cabinet									
GSTRK-26U80100	26U 19" Server Type Cabinet W: 800mm D: 1000 mm	800x1000x1478	26U	1478	1	830x1030x1508	1030x430x1508	75.000	83.000
GSTRK-32U80100	32U 19" Server Type Cabinet W: 800mm D: 1000 mm	800x1000x1745	32U	1745	1	830x1030x1775	1030x430x1775	92.000	100.000
GSTRK-36U80100	36U 19" Server Type Cabinet W: 800mm D: 1000 mm	800x1000x1923	36U	1923	1	830x1030x1953	1030x430x1953	103.000	111.000
GSTRK-42U80100	42U 19" Server Type Cabinet W: 800mm D: 1000 mm	800x1000x2190	42U	2190	1	830x1030x2220	1030x430x2220	120.000	128.000
GSTRK-48U80100	48U 19" Server Type Cabinet W: 800mm D: 1000 mm	800x1000x2457	48U	2457	1	830x1030x2487	1030x430x2487	137.000	145.000
GSTRK-52U80100	52U 19" Server Type Cabinet W: 800mm D: 1000 mm	800x1000x2635	52U	2635	1	830x1030x2665	1030x430x2665	149.000	157.000
800x1100 Data Center Cabinet									
GSTRK-26U80110	26U 19" Server Type Cabinet W: 800mm D: 1100 mm	800x1100x1478	26U	1478	1	830x1130x1508	1130x430x1508	82.000	90.000
GSTRK-32U80110	32U 19" Server Type Cabinet W: 800mm D: 1100 mm	800x1100x1745	32U	1745	1	830x1130x1775	1130x430x1775	101.000	109.000
GSTRK-36U80110	36U 19" Server Type Cabinet W: 800mm D: 1100 mm	800x1100x1923	36U	1923	1	830x1130x1953	1130x430x1953	114.000	122.000
GSTRK-42U80110	42U 19" Server Type Cabinet W: 800mm D: 1100 mm	800x1100x2190	42U	2190	1	830x1130x2220	1130x430x2220	132.000	140.000
GSTRK-48U80110	48U 19" Server Type Cabinet W: 800mm D: 1100 mm	800x1100x2457	48U	2457	1	830x1130x2487	1130x430x2487	151.000	159.000
GSTRK-52U80110	52U 19" Server Type Cabinet W: 800mm D: 1100 mm	800x1100x2635	52U	2635	1	830x1130x2665	1130x430x2665	164.000	172.000
800x1200 Data Center Cabinet									
GSTRK-26U80120	26U 19" Server Type Cabinet W: 800mm D: 1200 mm	800x1200x1478	26U	1478	1	830x1230x1508	1230x430x1508	90.000	98.000
GSTRK-32U80120	32U 19" Server Type Cabinet W: 800mm D: 1200 mm	800x1200x1745	32U	1745	1	830x1230x1775	1230x430x1775	111.000	119.000
GSTRK-36U80120	36U 19" Server Type Cabinet W: 800mm D: 1200 mm	800x1200x1923	36U	1923	1	830x1230x1953	1230x430x1953	125.000	133.000
GSTRK-42U80120	42U 19" Server Type Cabinet W: 800mm D: 1200 mm	800x1200x2190	42U	2190	1	830x1230x2220	1230x430x2220	146.000	154.000
GSTRK-48U80120	48U 19" Server Type Cabinet W: 800mm D: 1200 mm	800x1200x2457	48U	2457	1	830x1230x2487	1230x430x2487	166.000	174.000
GSTRK-52U80120	52U 19" Server Type Cabinet W: 800mm D: 1200 mm	800x1200x2635	52U	2635	1	830x1230x2665	1230x430x2665	180.000	188.000

Easy Type Cabinet

Product Code	Description	Dimension wxdxh M/m	h Dimension U	H mm Outside TWheel and Footless Measure Wheels 90 mm	Amount in Packing	Packing Dimension WxDxH mm	Disassembled Box Dimensions mm	Net Product Weight G.	Gros Product Weight G.
600x800 Easy Type Cabinet									
GETRK-16U6080	16U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x938	16U	938	1	1630x830x968	690x858x250	25.000	33.000
GETRK-20U6080	20U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1116	20U	1116	1	1630x830x1146	690x1036x250	31.000	39.000
GETRK-26U6080	26U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1383	26U	1383	1	1630x830x1413	690x1303x250	40.000	48.000
GETRK-32U6080	32U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1680	32U	1680	1	1630x830x1680	690x1570x250	48.000	56.000
GETRK-36U6080	36U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1858	36U	1858	1	1630x830x1858	690x1748x250	55.000	63.000
GETRK-42U6080	42U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x2125	42U	2125	1	1630x830x2125	690x2015x250	63.000	71.000
600x1000 Easy Type Cabinet									
GETRK-16U6080	16U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x938	16U	938	1	1630x830x968	690x858x250	25.000	33.000
GETRK-20U6080	20U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1116	20U	1116	1	1630x830x1146	690x1036x250	31.000	39.000
GETRK-26U6080	26U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1383	26U	1383	1	1630x830x1413	690x1303x250	40.000	48.000
GETRK-32U6080	32U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1680	32U	1680	1	1630x830x1680	690x1570x250	48.000	56.000
GETRK-36U6080	36U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x1858	36U	1858	1	1630x830x1858	690x1748x250	55.000	63.000
GETRK-42U6080	42U 19" Easy Type Cabinet W: 600mm D: 800 mm	600x800x2125	42U	2125	1	1630x830x2125	690x2015x250	63.000	71.000
800x800 Easy Type Cabinet									
GETRK-16U8080	16U 19" Easy Type Cabinet W: 800mm D: 800 mm	800x800x938	16U	938	1	1830x830x968	890x858x250	30.000	38.000
GETRK-20U8080	20U 19" Easy Type Cabinet W: 800mm D: 800 mm	800x800x1116	20U	1116	1	1830x830x1146	890x1036x250	38.000	46.000
GETRK-26U8080	26U 19" Easy Type Cabinet W: 800mm D: 800 mm	800x800x1383	26U	1383	1	1830x830x1413	890x1303x250	49.000	57.000
GETRK-32U8080	32U 19" Easy Type Cabinet W: 800mm D: 800 mm	800x800x1680	32U	1680	1	1830x830x1680	890x1570x250	60.000	68.000
GETRK-36U8080	36U 19" Easy Type Cabinet W: 800mm D: 800 mm	800x800x1858	36U	1858	1	1830x830x1858	890x1748x250	68.000	76.000
GETRK-42U8080	42U 19" Easy Type Cabinet W: 800mm D: 800 mm	800x800x2125	42U	2125	1	1830x830x2125	890x2015x250	78.000	86.000
800x1000 Eko Type Cabinet									
GETRK-16U80100	16U 19" Easy Type Cabinet W: 800mm D: 1000 mm	600x1000x938	16U	938	1	1630x1030x968	890x858x250	38.000	46.000
GETRK-20U80100	20U 19" Easy Type Cabinet W: 800mm D: 1000 mm	600x1000x1116	20U	1116	1	1630x1030x1146	890x1036x250	47.000	55.000
GETRK-26U80100	26U 19" Easy Type Cabinet W: 800mm D: 1000 mm	600x1000x1383	26U	1383	1	1630x1030x1413	890x1303x250	61.000	69.000
GETRK-32U80100	32U 19" Easy Type Cabinet W: 800mm D: 1000 mm	600x1000x1680	32U	1680	1	1630x1030x1680	890x1570x250	74.000	82.000
GETRK-36U80100	36U 19" Easy Type Cabinet W: 800mm D: 1000 mm	600x1000x1858	36U	1858	1	1630x1030x1858	890x1748x250	84.000	92.000
GETRK-42U80100	42U 19" Easy Type Cabinet W: 800mm D: 1000 mm	600x1000x2125	42U	2125	1	1630x1030x2125	890x2015x250	97.000	105.000

Wall Type Cabinet

Network/Server cabinets,

Quality and value added in the most optimal way. Parallel to the high performance and quality of its network applications, fully automatic industrial infrastructure and design create an unbelievable price index and offer the customer likes. As decorative are presented with special design parts and accessories for harmonization to your surroundings and living spaces.

ECO: In 520X400 sizes, 4 different heights are offered up to 4,7,9,12U Cabinets are standard mechanical lock with glass front cover.


PRO: 600X450 and 600x600 sizes 2 kind 3 different heights are offered up to 7,9,12U In the cabins, side covers can be opened and locked.

Wall-mounted

cabinets are shipped as standard and stocked pre-assembled in one piece and standard factory settings.

As decorative

are presented with special design parts and accessories for harmonization to your surroundings and living spaces.




ECO
PRO




Wall Type Cabinet

TECNICAL DETAILS



DETAILS

Full length, smoked, high resistance to breaking, tempered, antistatic 4,0 mm thick glazed and locked structure. The front door is made of tempered glass. 9035 gray, 9005 textured black, there are 2 colors.



Wall Type Cabinet

TECNICAL DETAILS

Product Code	Description	Dimension wxdxh Mm	U Dimension U	U Depth mm	H mm Outside Outside	Wide mm	Wide Device	Between The Bins Depth Mm	Amount In Packing	Packing Dimension WxDxH mm	Net Product Weight
520x400 ECO WALL TYPE RACK CABINET											
GEWRK-4U5240	4U 19" ECO WALL TYPE RACK CABINET	520x400x214	4U	202	214	520	19"	400	1	540x420x234	7.900
GEWRK-7U5240	7U 19" ECO WALL TYPE RACK CABINET	520x400x214	7U	355	375	520	19"	400	1	540x420x11216	10.100
GEWRK-9U5240	9U 19" ECO WALL TYPE RACK CABINET	520x400x214	9U	457	483	520	19"	400	1	540x420x1305	11.500
GEWRK-12U5240	12U 19" ECO WALL TYPE RACK CABINET	520x400x214	12U	610	645	520	19"	400	1	540x420x1482	13.600
600X450 PRO WALL TYPE RACK CABINET											
GPWRK-7U6045	7U 19" PRO WALL TYPE RACK CABINET	600x450x396	7U	330	396	600	19"	450	1	620x470x416	11.100
GPWRK-9U6045	9U 19" PRO WALL TYPE RACK CABINET	600x450x510	9U	425	510	600	19"	450	1	620x470x530	12.500
GPWRK-12U6045	12U 19" PRO WALL TYPE RACK CABINET	600x450x680	12U	566	680	600	19"	450	1	620x470x700	14.600
600X600 PRO WALL TYPE RACK CABINET											
GPWRK-7U6060	7U 19" PRO WALL TYPE RACK CABINET	600x600x396	7U	330	396	600	19"	600	1	620x620x416	11.100
GPWRK-9U6060	9U 19" PRO WALL TYPE RACK CABINET	600x600x510	9U	425	510	600	19"	600	1	620x620x530	12.500
GPWRK-12U6060	12U 19" PRO WALL TYPE RACK CABINET	600x600x680	12U	566	680	600	19"	600	1	620x620x700	14.600





**GÜVENİŞ ELEKTRİK ELEKTRONİK
MAK. SAN. VE TİC. LTD. ŞTİ.**

BEYLİKDÜZÜ OSB MAH. 1. CAD. NO:1/6

BEYLİKDÜZÜ/İSTANBUL/TURKEY

TEL: +90 212 243 66 11 - +90 212 243 21 66

FAX: +90 212 771 04 17

e-mail: info@guvenis.com.tr

Web: www.guvenisregulator.com.tr



**GÜVENİŞ TEKNOLOJİ ELEKTRONİK SİSTEMLER
SANAYİ VE TİCARET LİMİTED ŞİRKETİ**
BEYLİKDÜZÜ OSB. MAH. 1.CAD. KONYALILAR İŞ MERKEZİ
NO: 1 İÇ KAPI NO: 6 BEYLİKDÜZÜ/İSTANBUL-TURKEY
TEL: +90 212 243 66 11 - +90 212 243 21 66
FAX: +90 212 771 04 17
e-mail: info@guvenis.com.tr
Web: www.guvenisregulator.com.tr